

























Image	Code Ending	Configuration	Seats	C Performance (C/S)
 <p>ELECTRIC-2.5S-2M w ELEC HEAD</p>	4EH	** 2.5 SEATER WITH ELE MOTION WITH ELE HEADREST	3	
	<i>CM</i> w x d x h	203x104x80-97		
 <p>ELECTRIC-2.5S-2M w ELEC HEAD</p>	4EHSP	** 2.5 WITH ELE MOTION + ELE ON HEADREST	3	
	<i>CM</i> w x d x h	203x104x80-97		
 <p>ELECTRIC-2.5S-2M w ELEC HEAD</p>	4HB	** 2.5 SEATER(2MOT)-ELE-BATTERY WITH ELE HEADREST	3	
	<i>CM</i> w x d x h	203x104x80-97		
 <p>ELECTRIC-3S-2M (2seats) w ELEC HEAD</p>	CEH	** 3 SEATER WITH ELE MOTION WITH ELE HEADREST	3	
	<i>CM</i> w x d x h	214x104x80-97		
 <p>BATT-ELECTRIC-3S-2M w ELEC HEAD</p>	CHB	** 3 SEATER(2MOT)-ELE-BATTERY WITH ELE HEADREST	3	
	<i>CM</i> w x d x h	214x104x80-97		
 <p>2.5SER+LAF-CHAISE w ELEC HEAD</p>	EHL	** 2.5RAF-ELE-RC(HEADREST-ELE) + LAF-CHAISE	5	
	<i>CM</i> w x d x h	280x154x80-97		
 <p>BATT-2.5SER+LAF-CHAISE w ELEC HEAD</p>	EHLB	** 2.5RAF BAT-ELE-RC WITH HEADREST-ELE + LAF-CHAISE	5	
	<i>CM</i> w x d x h	280x154x80-97		
 <p>2.5SER+LAF-CHAISE w ELEC HEAD</p>	EHLSP	** 2.5RAF-ELE-RC(HEADREST-ELE) + LAF-CHAISE	5	
	<i>CM</i> w x d x h	280x154x80-97		
 <p>2.5SER+RAF-CHAISE w ELEC HEAD</p>	EHR	** 2.5LAF-ELE-RC(HEADREST-ELE) + RAF-CHAISE	5	
	<i>CM</i> w x d x h	280x154x80-97		
 <p>BATT-2.5SER+RAF-CHAISE w ELEC HEAD</p>	EHRB	** 2.5LAF BAT-ELE-RC WITH HEADREST-ELE + RAF-CHAISE	5	
	<i>CM</i> w x d x h	280x154x80-97		
 <p>2.5SER+RAF-CHAISE w ELEC HEAD</p>	EHRSP	** 2.5LAF-ELE-RC(HEADREST-ELE) + RAF CHAISE	5	
	<i>CM</i> w x d x h	280x154x80-97		
 <p>1.25LAFRC-BATT-ELE w ELEC HEAD</p>	ELB	** 1.25 LAF BATTERY ELECTRIC REC WITH ELECTRIC HEADREST	1	
	<i>CM</i> w x d x h	101.5x104x80-97		

Please Note: Dimensions quoted on this document are approximate and may vary slightly from the actual product
All diagrams on the sheet are only provided as an approximate representation of the footprint of the lounge and are in no way intended to represent the actual shape of the lounge.



** Electric recliners require 240v mains power

Image	Code Ending	Configuration	Seats	C Performance (C/S)
1.25NA 	EQ	1.25 SEAT ARMLESS CHAIR	1	
	<i>CM</i> w x d x h	77x104x80-97		
1.25NA-BATT-RC 	EQB	** 1.25 ARMLESS BAT-ELE	1	
	<i>CM</i> w x d x h	77x104x80-97		
1.25NA-ER 	EQE	** 1.25 SEAT ARMLESS MOT-ELEC	1	
	<i>CM</i> w x d x h	77x104x80-97		
1.25RAFRC-BATT-ELE w ELEC HEAD 	ERB	** 1.25 RAF BATTERY ELECTRIC REC WITH ELECTRIC HEADREST	1	
	<i>CM</i> w x d x h	101.5x104x80-97		
1.25LAFRC-ELE w ELEC HEAD 	ERE	** 1.25 LAF ELECTRIC MOTION WITH HEADREST-ELE	1	
	<i>CM</i> w x d x h	101.5x104x80-97		
ELECTRIC-RC w ELEC HEAD 	ERH	** ELECTRIC RECLINER WITH ELE-HEADREST	1	
	<i>CM</i> w x d x h	111.6x104x80-97		
BATT-ELE-RC w ELEC HEAD 	ERHB	** ELECTRIC RECLINER BATT-ELE WITH ELE HEADREST	1	
	<i>CM</i> w x d x h	111.6x104x80-97		
1.25RAFRC-ELE w ELEC HEAD 	ERR	** 1.25 RAF ELECTRIC MOTION WITH HEADREST-ELE	1	
	<i>CM</i> w x d x h	101.5x104x80-97		
ELECTRIC-2S2M w ELEC HEAD 	QEH	** 2 SEATER WITH ELE MOTION WITH ELE HEADREST	2	
	<i>CM</i> w x d x h	183x104x80-97		
BATT-ELECTRIC-2S-2M w ELEC HEAD 	QHB	** 2 SEATER(2MOT)-ELE-BATTERY WITH ELE HEADREST	2	
	<i>CM</i> w x d x h	183x104x80-97		
1.25NA-ER w ELEC HEAD 	QQH	** 1.25S ARMLESS MOT-ELEC WITH ELE HEADREST	1	
	<i>CM</i> w x d x h	77x104x80-97		
BATT-1.25NA-ER w ELEC HEAD 	QQHB	** 1.25S ARMLESS MOT-ELE-BATTERY WITH ELE HEADREST	1	
	<i>CM</i> w x d x h	77x104x80-97		

Please Note: Dimensions quoted on this document are approximate and may vary slightly from the actual product
All diagrams on the sheet are only provided as an approximate representation of the footprint of the lounge and are in no way intended to represent the actual shape of the lounge.

** Electric recliners require 240v mains power

Model Name: HUNTER

Image	Code Ending	Configuration	Seats	C Performance (C/S)
	W	CHAISE LAF	2	
	<i>CM</i> w x d x h	101.5x154x80-97		
	WA	CHAISE RAF	2	
	<i>CM</i> w x d x h	101.5x154x80-97		

Please Note: Dimensions quoted on this document are approximate and may vary slightly from the actual product
All diagrams on the sheet are only provided as an approximate representation of the footprint of the lounge and are in no way intended to represent the actual shape of the lounge.
** Electric recliners require 240v mains power

Construction

Additional Comments

COVER TYPE: LEATHER
COVER DESCRIPTION & OPTIONS: CAT C = Performance Leather
FRAME: Pinewood & Plywood
BACK CUSHION: No Sag Spring & PU Foam with Polyester Fibre
SEAT CUSHION: Pocketed Coil Spring & PU Foam with Polyester Fibre
HEADREST: PU Foam with Polyester Fibre
SEAT SUSPENSION: Individually Pocketed Coil Spring with No Sag Spring and Polyester Fibre
LEG: Wood - Grey Wash

PLEASE NOTE -
The 1.25 armless piece can ONLY be inserted into the 2.5 seater + chaise and the 2.5 seater.
The seat size of the 1.25NA WILL NOT match to the 3 seater and 2 seater seat proportions.
PLEASE NOTE: If customer orders Battery options, the battery pack will come fixed to the back of the lounge.



[Refer to Nick Scali website for Reach Compliance information](#)

