













Image	Code Ending	Configuration	Seats	A ANCONA FABRIC	G GRACELAND FABRIC	S SUNDAY FABRIC
<p>CR</p>	+	CORNER	1			
	<i>CM</i> w x d x h	120x120x99				
<p>2.5S(MOT)BATT-ELE</p>	4EB	** 2.5 SEATER WITH 2 BATT-ELEC RECLINERS	3			
	<i>CM</i> w x d x h	203x95x99				
<p>ELECTRIC-2.5S-2M w LAY FLAT</p>	4ELF	** 2.5S WITH 2 ELE RECLINERS WITH LAY FLAT MECHANISM	3			
	<i>CM</i> w x d x h	203x95x99				
<p>BATT-ELE-2.5S-2M w LAY FLAT</p>	4ELFB	** 2.5S WITH 2 BATT-ELEC RECLINER WITH LAY FLAT MECHANISM	3			
	<i>CM</i> w x d x h	203x95x99				
<p>2.5S(2MOT)-ELE</p>	4ER	** 2.5S WITH 2 ELE MOTIONS	3			
	<i>CM</i> w x d x h	203x95x99				
<p>2.5S(2MOT)</p>	4R	2.5SEATER WITH 2 MOTION	3			
	<i>CM</i> w x d x h	203x95x99				
<p>RECLINER CHAIR</p>	6	RECLINER	1			
	<i>CM</i> w x d x h	106x95x99				
<p>1RAF-RC</p>	6QC	1SRAF RC	1			
	<i>CM</i> w x d x h	102x95x99				
<p>1LAF-RC</p>	6QD	1SLAF RC	1			
	<i>CM</i> w x d x h	102x95x99				
<p>CHAISE+CON+1+C+2RE</p>	AEI	** LAF-CHAISE + CONSOLE + ARMLESS + CORNER + 2S 1 ARM ELECTRIC	7			
	<i>CM</i> w x d x h	332x299x99				
<p>2RE+C+1+CON+CHAISE</p>	AEJ	** 2S 1 ARM ELECTRIC + CORNER + ARMLESS + CONSOLE + RAF-CHAISE	7			
	<i>CM</i> w x d x h	332x299x99				
<p>3S-2MOT</p>	C	3 SEATER SOFA (2 X RECLINERS)	3			
	<i>CM</i> w x d x h	221x95x99				













Please Note: Dimensions quoted on this document are approximate and may vary slightly from the actual product
All diagrams on the sheet are only provided as an approximate representation of the footprint of the lounge and are in no way intended to represent the actual shape of the lounge.

** Electric recliners require 240v mains power

Image	Code Ending	Configuration	Seats	A ANCONA FABRIC	G GRACELAND FABRIC	S SUNDAY FABRIC
 <p>ELECTRIC-3S-2M</p>	CE	** 3 SEATER WITH 2 ELECTRIC RECLINERS	3			
	<i>CM</i> w x d x h	221x95x99				
 <p>3S(2MOT)BATT-ELE</p>	CEB	** 3 SEATER WITH 2 BATT-ELEC RECLINERS	3			
	<i>CM</i> w x d x h	221x95x99				
 <p>CONSOLE</p>	CS	CONSOLE IN LOUNGE	1			
	<i>CM</i> w x d x h	33x95x99				
 <p>1NA</p>	E	ARMLESS CHAIR	1			
	<i>CM</i> w x d x h	77x95x99				
 <p>BATT-ELE-RC</p>	EB	** BATTERY-ELECTRIC RECLINER CHAIR	1			
	<i>CM</i> w x d x h	106x95x99				
 <p>NA-RC</p>	EM	1 ARMLESS MOTION	1			
	<i>CM</i> w x d x h	77x95x99				
 <p>1NA-BATT-RC</p>	EMB	** ARMLESS CHAIR BAT-ELE	1			
	<i>CM</i> w x d x h	77x95x99				
 <p>1NA-ELE RC</p>	EME	** 1 ARMLESS ELECTRIC RECLINER	1			
	<i>CM</i> w x d x h	77x95x99				
 <p>1RAF-ELE-RC</p>	EQC	** 1RAF RC ELEC	1			
	<i>CM</i> w x d x h	102x95x99				
 <p>1LAF-ELE-RC</p>	EQD	** 1LAF RC ELEC	1			
	<i>CM</i> w x d x h	102x95x99				
 <p>ELECTRIC-RC</p>	ER	** ELECTRIC RECLINER CHAIR	1			
	<i>CM</i> w x d x h	106x95x99				
 <p>ELECTRIC-RC w LAY-FLAT</p>	ERLF	** ELECTRIC RECLINER WITH LAY FLAT MECHANISM	1			
	<i>CM</i> w x d x h	106x95x99				





Please Note: Dimensions quoted on this document are approximate and may vary slightly from the actual product
All diagrams on the sheet are only provided as an approximate representation of the footprint of the lounge and are in no way intended to represent the actual shape of the lounge.

** Electric recliners require 240v mains power

Image	Code Ending	Configuration	Seats	A ANCONA FABRIC	G GRACELAND FABRIC	S SUNDAY FABRIC
BATT-ELE-RC w LAY-FLAT 	ERLFB	** ELECTRIC RECLINER BATT-ELE WITH LAY FLAT MECHANISM	1			
	<i>CM</i> w x d x h	106x95x99				
2S-2MOT 	Q	2S-(2MOT)	2			
	<i>CM</i> w x d x h	167x95x99				
1RAF 	QC	1SRAF	1			
	<i>CM</i> w x d x h	102x95x99				
1RAFRC-BATT-ELE 	QCB	** 1RAF BATTERY ELECTRIC	1			
	<i>CM</i> w x d x h	102x95x99				
1RAFRC-ELE w LAY FLAT 	QCLF	** 1RAF ELE RECLINER WITH LAY FLAT MECHANISM	1			
	<i>CM</i> w x d x h	102x95x99				
1RAFRC-BATT-ELE w LAY FLAT 	QCLFB	** 1RAF BATT-ELE RECLINER WITH LAY FLAT MECHANISM	1			
	<i>CM</i> w x d x h	102x95x99				
1LAF 	QD	1SLAF	1			
	<i>CM</i> w x d x h	102x95x99				
1LAFRC-BATT-ELE 	QDB	** 1LAF BATTERY ELECTRIC	1			
	<i>CM</i> w x d x h	102x95x99				
1LAFRC-ELE w LAY FLAT 	QDLF	** 1LAF ELE RECLINER WITH LAY FLAT MECHANISM	1			
	<i>CM</i> w x d x h	102x95x99				
1LAFRC-BATT-ELE w LAY FLAT 	QDLFB	** 1LAF BATT-ELE RECLINER WITH LAY FLAT MECHANISM	1			
	<i>CM</i> w x d x h	102x95x99				
ELECTRIC-2S2M 	QE	** 2 SEATER WITH 2 ELECTRIC RECLINERS	2			
	<i>CM</i> w x d x h	167x95x99				
2S(MOT)BATT-ELE 	QEB	** 2 SEATER WITH 2 BATT-ELEC RECLINERS	2			
	<i>CM</i> w x d x h	167x95x99				

Please Note: Dimensions quoted on this document are approximate and may vary slightly from the actual product
All diagrams on the sheet are only provided as an approximate representation of the footprint of the lounge and are in no way intended to represent the actual shape of the lounge.

** Electric recliners require 240v mains power

Image	Code Ending	Configuration	Seats	A ANCONA FABRIC	G GRACELAND FABRIC	S SUNDAY FABRIC
<p>ELECTRIC-2S-2M w LAY FLAT</p> 	QELF	** 2S WITH 2 ELE RECLINERS WITH LAY FLAT MECHANISM	2			
	<i>CM</i> w x d x h	167x95x99				
<p>BATT-ELE-2S-2M w LAY FLAT</p> 	QELFB	** 2S WITH 2 BATT-ELEC RECLINER WITH LAY FLAT MECHANISM	2			
	<i>CM</i> w x d x h	167x95x99				
<p>CHLAF</p> 	W	CHAISE LAF	2			
	<i>CM</i> w x d x h	102x154x99				
<p>CHRAF</p> 	WA	CHAISE RAF	2			
	<i>CM</i> w x d x h	102x154x99				

Please Note: Dimensions quoted on this document are approximate and may vary slightly from the actual product
All diagrams on the sheet are only provided as an approximate representation of the footprint of the lounge and are in no way intended to represent the actual shape of the lounge.

** Electric recliners require 240v mains power

Construction

Additional Comments

COVER TYPE: Fabric
 COVERING DESCRIPTION / OPTIONS:
 CAT A - Ancona Fabric
 CAT S - Sunday Fabric
 CAT G - Graceland Fabric
 FRAME: Brazilian timber & Plywood
 BACK CUSHION: Siliconised Polyester Fibre fill
 SEAT CUSHION: Pocketed Coil Spring & PU Foam with Polyester Fibre
 SEAT SUSPENSION: Individually Pocketed Coil Spring with No-sag Spring and Polyester Fibre

Frame
 Kiln dried Brazilian Timber

No-sag spring with pocketed coil seat suspension
 This 'Advanced Seating System' was developed from the mattress industry. Pocket springs are individually housed in their own fabric pockets which allows them to work independently.
 This is an excellent choice if two users of the same lounge vary considerably in weight.
 Pocket springs only react to the pressure & weight which is applied directly to each one giving great individual support whilst maintaining the shape of cushion

Siliconised Polyester Fibre Fill
 This synthetic fibre treated with a silicate material makes the fibres stronger, so it holds its shape better, and is more resistant to bacteria and dust accumulation. This filling is deemed to be antimicrobial, hypo-allergenic, resists mould & mildews.

Recliner 160KG weight rating
 Well above industry standard of 120kg.
 This 160kg weight rating represents the durability and strength of the recliner mechanism.

3 Fabric Ranges available:
 These fabrics range from a Martindale 20,000 rating (Ancona) to 185,000 rating (Sunday) providing a wide range of choice in look, colour & feel.

REACH Compliance
 Registration, Evaluation, Authorisation & Restriction of Chemicals (REACH) is a European Regulation that protects human health and the environment from any unacceptable risks posed by chemicals.
 For more detail, please refer to our website.

GROUP COMBINATIONS:
 2RE+C+1+CS+CHAISE (AEJ = EQD + E + (+) + E + CS + WA)
 CHAISE+CS+1+C+2RE (AEI = W + CS + E + (+) + E + EQC)

NOTE:
 ARMLESS CHAIR (E) will fit on configurations 4ER, 5EK, 5EQ only
 ARMLESS CHAIR (E) will NOT fit on configurations CE & QE

The 3S recliner and 2S recliner use a SMALLER seat size than the 2.5S recliner.

THE MANUAL MECHANISM INVOLVES A BLACK HANDLE ON OUT SIDE OF THE ARM (IN REPLACEMENT OF THE SILVER BUTTON).

MAXIMUM WEIGHT RATING FOR SINGLE RECLINER IS 160KG.



[Refer to Nick Scali website for Reach Compliance information](#)

